Lineabox

SALICE

Lineabox - Metal drawer

Clean, simple lines with minimal wall thickness to maximize internal space. Streamlined aesthetics uncluttered with holes or assembly components. Assembly is rapid without the need for machines or templates.
Fluid, silent and progressive sliding movement, thanks to full-extension runners.
Lineabox can be used with Futura and F70 full-extension runners.

Index

2-Sided Drawer - Double Notched

2-Sided Drawer - Part numbers and packaging

Side profiles cut to length - Double Notched

SIDE PROFILE H 75 mm		WHITE	GRAY	STAINLESS STEEL	BOX	PALLET
FUTURA	F70					
Runner length 229 mm		AMUBXD10229GP	AMUBXDG0229GP	AMUBXDS0229GP	12 pcs.	360 pcs.
Runner length 305 mm		AMUBXD10305GP	AMUBXDG0305GP	AMUBXDS0305GP	12 pcs.	360 pcs.
Runner length 381 mm	Runner length 381 mm	AMUBXD10381GP	AMUBXDG0381GP	AMUBXDS0381GP	12 pcs.	240 pcs.
Runner length 457 mm	Runner length 457 mm	AMUBXD10457GP	AMUBXDG0457GP	AMUBXDS0457GP	12 pcs.	240 pcs.
Runner length 533 mm	Runner length 533 mm	AMUBXD10533GP	AMUBXDG0533GP	AMUBXDS0533GP	12 pcs.	180 pcs.
	Runner length 610 mm	AMUBXD10610GP	AMUBXDG0610GP	AMUBXDS0610GP	12 pcs.	120 pcs.
	Runner length 686 mm	AMUBXD10686GP	AMUBXDG0686GP	AMUBXDS0686GP	12 pcs.	120 pcs.
	Runner length 762 mm	AMUBXD10762GP	AMUBXDG0762GP	AMUBXDS0762GP	12 pcs.	120 pcs.

SIDE PROFILE H 101 mm		WHITE	GRAY	STAINLESS STEEL	BOX	PALLET
FUTURA	F70					
Runner length 229 mm		AMUMXD10229GP	AMUMXDG0229GP	AMUMXDS0229GP	12 pcs.	360 pcs.
Runner length 305 mm		AMUMXD10305GP	AMUMXDG0305GP	AMUMXDS0305GP	12 pcs.	360 pcs.
Runner length 381 mm	Runner length 381 mm	AMUMXD10381GP	AMUMXDG0381GP	AMUMXDS0381GP	12 pcs.	240 pcs.
Runner length 457 mm	Runner length 457 mm	AMUMXD10457GP	AMUMXDG0457GP	AMUMXDS0457GP	12 pcs.	240 pcs.
Runner length 533 mm	Runner length 533 mm	AMUMXD10533GP	AMUMXDG0533GP	AMUMXDS0533GP	12 pcs.	180 pcs.
	Runner length 610 mm	AMUMXD10610GP	AMUMXDG0610GP	AMUMXDS0610GP	12 pcs.	120 pcs.
	Runner length 686 mm	AMUMXD10686GP	AMUMXDG0686GP	AMUMXDS0686GP	12 pcs.	120 pcs.
	Runner length 762 mm	AMUMXD10762GP	AMUMXDG0762GP	AMUMXDS0762GP	12 pcs.	120 pcs.

| SIDE PROFILE H 178 mm		WHITE	GRAY	STAINLESS STEEL	BOX	PALLET
FUTURA	F70					
Runner length 229 mm		AMUAXD10229GP	AMUAXDG0229GP	AMUAXDS0229GP	12 pcs.	216 pcs.
Runner length 305 mm		AMUAXD10305GP	AMUAXDG0305GP	AMUAXDS0305GP	12 pcs.	216 pcs.
Runner length 381 mm	Runner length 381 mm	AMUAXD10381GP	AMUAXDG0381GP	AMUAXDS0381GP	12 pcs.	144 pcs.
Runner length 457 mm	Runner length 457 mm	AMUAXD10457GP	AMUAXDG0457GP	AMUAXDS0457GP	12 pcs.	144 pcs.
Runner length 533 mm	Runner length 533 mm	AMUAXD10533GP	AMUAXDG0533GP	AMUAXDS0533GP	12 pcs.	108 pcs.
	Runner length 610 mm	AMUAXD10610GP	AMUAXDG0610GP	AMUAXDS0610GP	12 pcs.	72 pcs.
	Runner length 686 mm	AMUAXD10686GP	AMUAXDG0686GP	AMUAXDS0686GP	12 pcs.	72 pcs.
	Runner length 762 mm	AMUAXD10762GP	AMUAXDG0762GP	AMUAXDS0762GP	12 pcs.	72 pcs.

SIDE PROFILE H 237 mm		WHITE	GRAY	STAINLESS STEEL	BOX	PALLET
FUTURA	F70					
Runner length 229 mm		AMUHXD10229GP	AMUHXDG0229GP	AMUHXDS0229GP	12 pcs.	216 pcs.
Runner length 305 mm		AMUHXD10305GP	AMUHXDG0305GP	AMUHXDS0305GP	12 pcs.	216 pcs.
Runner length 381 mm	Runner length 381 mm	AMUHXD10381GP	AMUHXDG0381GP	AMUHXDS0381GP	12 pcs.	144 pcs.
Runner length 457 mm	Runner length 457 mm	AMUHXD10457GP	AMUHXDG0457GP	AMUHXDS0457GP	12 pcs.	144 pcs.
Runner length 533 mm	Runner length 533 mm	AMUHXD10533GP	AMUHXDG0533GP	AMUHXDS0533GP	12 pcs.	108 pcs.
	Runner length 610 mm	AMUHXD10610GP	AMUHXDG0610GP	AMUHXDS0610GP	12 pcs.	72 pcs.
	Runner length 686 mm	AMUHXD10686GP	AMUHXDG0686GP	AMUHXDS0686GP	12 pcs.	72 pcs.
	Runner length 762 mm	AMUHXD10762GP	AMUHXDG0762GP	AMUHXDS0762GP	12 pcs.	72 pcs.

Part numbers and packaging

| COMPONENTS			PART NUMBER	BOX	PALLET
FIXING CLIP FOR WOOD FRONT AND BACK Screw attachment. Screws ø 3.5 x 20 mm included. Can use #6 x 3/4" screws as a replacement.	ø 2x2		ASMGP12A3XA	200 pcs.	8000 pcs.
FIXING CLIP FOR WOOD FRONT AND BACK 5 mm dowel attachment. Must be knocked in with **TLLNCLPHLDR** Salice tool, see accessories, page 50.	ø 5x12		ASMGP12A3CA	200 pcs.	8000 pcs.

2-Sided Drawer - H 75 mm

Lineabox metal sides, wood sub-front and back panel.
Height of the side 75 mm - Internal height 46 mm.
For use with Futura and F70 full-extension runners.

- No machine or template needed for assembly
- Rapid assembly and disassembly of the drawer
- Height, side and depth adjustment of the drawer incorporated in the runner fixing clips
- Wood thickness: 16 mm (5/8") for bottom, sub-front and back panels
- Sides notched front and back
- Premounted front/back connector fittings
- Non-handed sides
- Material: Aluminum
- Finishes: - White
              - Gray
              - Stainless steel

Dimensions with full-extension runners

Dimensions of the metal side

F70 RUNNERS   FUTURA RUNNERS

Cutting the width for the sub-front and the back

(X - 22) ± 1 mm = Futura
(X - 23) ± 1 mm = F70

Cutting the length and width for the bottom

Bottom length =
Runner length - 32 mm (1-17/64")

(X - 22) ± 1 mm = Futura
(X - 23) ± 1 mm = F70

X = Internal Width

Technical features

SUB-FRONT - Finished height & drilling dimensions

SUB-FRONT

18
24
74
6.5

BACK - Finished height & drilling dimensions

INSIDE BACK

OUTSIDE BACK

DRILLING TEMPLATE
Futura: A199800755010
F70: ASGD704UGXA

17

11

DRILL BIT
Futura:
ø 7x10 mm (9/32")
F70:
ø 6x10 mm (1/4")

18
24
61
6.5

Note: Rear hook hole dimensions based on drilling with Salice drilling template **A199800755010** with Futura runners or **ASGD704UGXA** with F70 runners (see accessories, page 50).

Components of the drawer

1 Front/back fixing clip **ASMGP12A3XA** - screw attachment   **OR**   **2** Front/back fixing clip **ASMGP12A3CA** - 5 mm dowel attachment   Nr. 4 pcs.

3 Cover cap (With embossed Salice logo **ASCCX83H9SN** - With silk-screen printed Salice logo **ASCXX83H9SN**)   Nr. 2 pcs. (optional)


1

2

BACK

SUB-FRONT

3

Note: Customer to supply and attach finished front.

2-Sided Drawer - H 101 mm

Lineabox metal sides, wood sub-front and back panel.
Height of the side 101 mm - Internal height 72 mm.
**For use with Futura and F70 full-extension runners.**

- No machine or template needed for assembly
- Rapid assembly and disassembly of the drawer
- Height, side and depth adjustment of the drawer incorporated in the runner fixing clips
- Wood thickness: 16 mm (5/8") for bottom, sub-front and back panels
- Sides notched front and back
- Premounted front/back connector fittings
- Non-handed sides
- Material: Aluminum
- Finishes: - White
  - Gray
  - Stainless steel

Dimensions with full-extension runners

Dimensions of the metal side

F70 RUNNERS   FUTURA RUNNERS

Cutting the width for the sub-front and the back

(X - 22) ± 1 mm = Futura
(X - 23) ± 1 mm = F70

Cutting the length and width for the bottom

Bottom length =
Runner length - 32 mm (1-17/64")

(X - 22) ± 1 mm = Futura
(X - 23) ± 1 mm = F70

X = Internal Width

Technical features

SUB-FRONT - Finished height & drilling dimensions


## BACK - Finished height & drilling dimensions

Note: Rear hook hole dimensions based on drilling with Salice drilling template **A199800755010** with Futura runners or **ASGD704UGXA** with F70 runners (see accessories, page 50).

Components of the drawer

1 Front/back fixing clip **ASMGP12A3XA** - screw attachment   **OR**   **2** Front/back fixing clip **ASMGP12A3CA** - 5 mm dowel attachment   Nr. 4 pcs.

3 Cover cap (With embossed Salice logo **ASCCX83H9SN** - With silk-screen printed Salice logo **ASCXX83H9SN**)   Nr. 2 pcs. (optional)


Note: Customer to supply and attach finished front.

11

2-Sided Drawer - H 178 mm

Lineabox metal sides, wood sub-front and back panel.
Height of the side 178 mm - Internal height 149 mm.
**For use with Futura and F70 full-extension runners.**

- No machine or template needed for assembly
- Rapid assembly and disassembly of the drawer
- Height, side and depth adjustment of the drawer incorporated in the runner fixing clips
- Wood thickness: 16 mm (5/8") for bottom, sub-front and back panels
- Sides notched front and back
- Premounted front/back connector fittings
- Non-handed sides
- Material: Aluminum
- Finishes: - White
          - Gray
          - Stainless steel

Dimensions with full-extension runners

Dimensions of the metal side

F70 RUNNERS   FUTURA RUNNERS

Cutting the width for the sub-front and the back

(X - 22) ± 1 mm = Futura
(X - 23) ± 1 mm = F70

Cutting the length and width for the bottom

Bottom length =
Runner length - 32 mm (1-17/64")

(X - 22) ± 1 mm = Futura
(X - 23) ± 1 mm = F70

X = Internal Width

Technical features

SUB-FRONT - Finished height & drilling dimensions

SUB-FRONT

76.5
24 20.2 24
177
6.5

BACK - Finished height & drilling dimensions

INSIDE BACK

OUTSIDE BACK

DRILLING TEMPLATE
Futura: A199800755010
F70: ASGD704UGXA

17
11

DRILL BIT
Futura:
ø 7x10 mm (9/32")

F70:
ø 6x10 mm (1/4")

76.5
24 20.2 24
164
6.5

Note: Rear hook hole dimensions based on drilling with Salice drilling template **A199800755010** with Futura runners or **ASGD704UGXA** with F70 runners (see accessories, page 50).

Components of the drawer

1 Front/back fixing clip **ASMGP12A3XA** - screw attachment   **OR** **2** Front/back fixing clip **ASMGP12A3CA** - 5 mm dowel attachment   Nr. 8 pcs.
3 Cover cap (With embossed Salice logo **ASCCX83H9SN** - With silk-screen printed Salice logo **ASCXX83H9SN**)   Nr. 2 pcs. (optional)

1
2
BACK
3
SUB-FRONT

Note: Customer to supply and attach finished front.

2-Sided Drawer - H 237 mm

Lineabox metal sides, wood front and back panel.
Height of the side 237 mm - Internal height 208 mm.
For use with Futura and F70 full-extension runners.

- No machine or template needed for assembly
- Rapid assembly and disassembly of the drawer
- Height, side and depth adjustment of the drawer incorporated in the
  runner fixing clips
- Wood thickness: 16 mm (5/8") for bottom, front and back panels
- Sides notched front and back
- Premounted front/back connector fittings
- Non-handed sides
- Material: Aluminum
- Finishes: - White
            - Gray
            - Stainless steel

Dimensions with full-extension runners

Dimensions of the metal side

F70 RUNNERS   FUTURA RUNNERS

X = Internal Width

Cutting the width for the sub-front and the back

(X - 22) ± 1 mm = Futura
(X - 23) ± 1 mm = F70

Cutting the length and width for the bottom

Runner length - 32 mm (1-17/64")
Bottom length =
(X - 22) ± 1 mm = Futura
(X - 23) ± 1 mm = F70

Technical features

SUB-FRONT - Finished height & drilling dimensions

BACK - Finished height & drilling dimensions

DRILLING TEMPLATE
Futura: A199800755010
F70: ASGD704UGXA

DRILL BIT
Futura:
ø 7x10 mm (9/32")

F70:
ø 6x10 mm (1/4")

Note: Rear hook hole dimensions based on drilling with Salice drilling template **A199800755010** with Futura runners or **ASGD704UGXA** with F70 runners (see accessories, page 50).

Components of the drawer

1 Front/back fixing clip **ASMGP12A3XA** - screw attachment **OR** **2** Front/back fixing clip **ASMGP12A3CA** - 5 mm dowel attachment   Nr. 12 pcs.

3 Cover cap (With embossed Salice logo **ASCCX83H9SN** - With silk-screen printed Salice logo **ASCXX83H9SN**)   Nr. 2 pcs. (optional)

Note: Customer to supply and attach finished front.

SALICE

4-Sided Internal Drawer - Pull-Out Drawer

4-Sided Internal Drawer - Part numbers and packaging

HEIGHT LINEABOX SIDE	FRONT PANEL ADAPTERS AND COVERS RIGHT/LEFT			FRONT PANEL		

H 75 mm

PART NUMBER	FINISH	BOX
AMABPU1F	WHITE	3 pairs
AMABPUGF	GRAY	3 pairs
AMABPUSF	STAINLESS STEEL	3 pairs

PART NUMBER	FINISH	BOX
AMFLP411062F	WHITE	6 pcs.
AMFLP4G1062F	GRAY	6 pcs.
AMFLP4S1062F	STAINLESS STEEL	6 pcs.

H 101 mm

PART NUMBER	FINISH	BOX
AMAMPU1F	WHITE	3 pairs
AMAMPUGF	GRAY	3 pairs
AMAMPUSF	STAINLESS STEEL	3 pairs

PART NUMBER	FINISH	BOX
AMFLP411062F	WHITE	6 pcs.
AMFLP4G1062F	GRAY	6 pcs.
AMFLP4S1062F	STAINLESS STEEL	6 pcs.

H 178 mm

PART NUMBER	FINISH	BOX
AMAAPU1F	WHITE	3 pairs
AMAAPUGF	GRAY	3 pairs
AMAAPUSF	STAINLESS STEEL	3 pairs

PART NUMBER	FINISH	BOX
AMFLP411062F	WHITE	6 pcs.
AMFLP4G1062F	GRAY	6 pcs.
AMFLP4S1062F	STAINLESS STEEL	6 pcs.

PART NUMBER	FINISH	BOX
AMBFP411062F	WHITE	6 pcs.
AMBFP4G1062F	GRAY	6 pcs.
AMBFP4S1062F	STAINLESS STEEL	6 pcs.

4-Sided Internal Drawer - With 8 mm thick insert - Part numbers and packaging

HEIGHT LINEABOX SIDE	FRONT PANEL ADAPTERS AND COVERS RIGHT/LEFT			FRONT PANEL		
H 101 mm	PART NUMBER	FINISH	BOX	PART NUMBER	FINISH	BOX
	AMAMVU1F	WHITE	3 pairs	AMFLV411062F	WHITE	6 pcs.
	AMAMVUGF	GRAY	3 pairs	AMFLV4G1062F	GRAY	6 pcs.
	AMAMVUSF	STAINLESS STEEL	3 pairs	AMFLV4S1062F	STAINLESS STEEL	6 pcs.

Gasket included.

Inserts not included.

HEIGHT LINEABOX SIDE	FRONT PANEL ADAPTERS AND COVERS RIGHT/LEFT			FRONT PANEL		
H 178 mm	PART NUMBER	FINISH	BOX	PART NUMBER	FINISH	BOX
	AMAAVU1F	WHITE	3 pairs	AMFLV411062F	WHITE	6 pcs.
	AMAAVUGF	GRAY	3 pairs	AMFLV4G1062F	GRAY	6 pcs.
	AMAAVUSF	STAINLESS STEEL	3 pairs	AMFLV4S1062F	STAINLESS STEEL	6 pcs.

Gasket included.

Inserts not included.

4-Sided Internal Drawer - H 75 mm

Height of Lineabox side 75 mm
Max. height of front panel 100 mm
**For use with Futura and F70 full-extension runners**

- Rapid assembly system, with no machinery or templates needed
- Rapid mounting and removal of front panel
- Can be personalized according to the width of the cabinet
- Height, sideways and depth adjustment of the drawer incorporated
  in the runner fixing clips
- Material: - aluminum for Lineabox sides and front panel
            - plastic for front panel adapters
            - metal for covers
- Finishes: - White
            - Gray
            - Stainless steel

Assembly features

Cutting of the horizontal profile

L = (X - 120) ± 1 mm = Futura
L = (X - 121) ± 1 mm = F70

X = Internal Width

Note: aluminum to be cut with metal cutting blade
Screws ø 3.5 x 20 mm included. Can use #6 x 3/4" screws as a replacement

Insert the front panel adapters into the front panel and tighten the locking screws. Frontal fixings are already premounted.

Fix the front panel to the drawer

Fix the covers

To correct possible cutting errors of the front profile, loosen and retighten the indicated screws

4-Sided Internal Drawer - H 101 mm

Height of Lineabox side 101 mm
Max. height of front panel 126 mm
For use with Futura and F70 full-extension runners

- Rapid assembly system, with no machinery or templates needed
- Rapid mounting and removal of front panel
- Can be personalized according to the width of the cabinet
- Height, sideways and depth adjustment of the drawer incorporated
  in the runner fixing clips
- Material: - aluminum for Lineabox sides and front panel
  - plastic for front panel adapters
  - metal for covers
- Finishes: - White
  - Gray
  - Stainless steel

Assembly features

Cutting of the horizontal profile

$$L = (X - 120) \pm 1 \text{ mm} = \text{Futura}$$
$$L = (X - 121) \pm 1 \text{ mm} = \text{F70}$$

X = Internal Width

Note: aluminum to be cut with metal cutting blade
Screws ø 3.5 x 20 mm included. Can use #6 x 3/4" screws as a replacement

Insert the front panel adapters into the front panel and tighten the locking screws. Frontal fixings are already premounted.

Fix the front panel to the drawer

Fix the covers

To correct possible cutting errors of the front profile, loosen and retighten the indicated screws

4-Sided Internal Drawer with gallery rail - H 178 mm

**Height of Lineabox side 178 mm**
Max. height of front panel 203 mm
For use with Futura and F70 full-extension runners

- Rapid assembly system, with no machinery or templates needed
- Rapid mounting and removal of front panel
- Can be personalized according to the width of the cabinet
- Height, sideways and depth adjustment of the drawer incorporated
  in the runner fixing clips
- Material: - aluminum for Lineabox sides, front panel and railing
            - plastic for front panel adapters
            - metal for covers
- Finishes: - White
   - Gray
            - Stainless steel

Assembly features

Cut the profile and the gallery rail to length

L = (X - 120) ± 1 mm = Futura
L = (X - 121) ± 1 mm = F70

X = Internal Width

Note: aluminum to be cut with metal cutting blade
Screws ø 3.5 x 20 mm included. Can use #6 x 3/4" screws as a replacement

Insert the front panel adapters into the front panel and the railing and tighten the locking screws.
Frontal fixings are already premounted.

Fix the front panel to the drawer

Fix the covers

To correct any possible cutting errors of the panel, loosen and retighten the indicated screws

4-Sided Internal Drawer with insert - H 101 mm


Height of Lineabox side 101 mm
Max. height of front panel 126 mm
**For use with Futura and F70 full-extension runners**

- Rapid assembly system, with no machinery or templates needed
- Rapid mounting and removal of front panel
- Can be personalized according to the width of the cabinet
- Height, sideways and depth adjustment of the drawer incorporated
  in the runner fixing clips
- Material: - aluminum for Lineabox sides and front panel
            - plastic for front panel adapters
            - metal for covers
- Finishes: - White
            - Gray
   - Stainless steel

## Assembly features

Cut the front panel and the insert to length

L = (X - 120) ± 1 mm = Futura
L = (X - 121) ± 1 mm = F70

8

61

L = (X - 120) ± 1 mm = Futura
L = (X - 121) ± 1 mm = F70

65

126

X = Internal width of the cabinet

Note: aluminum to be cut with metal cutting blade

Insert the front panel adapters into the front panel and tighten the locking screws. Frontal fixings are already premounted.

1 2 3 4 5

Screws ø 3.5 x 20 mm included. Can use #6 x 3/4” screws as a replacement

Attach the front to the drawer

Fix the covers

To correct possible cutting errors of the front profile, loosen and retighten the indicated screws

4-Sided Internal Drawer with insert - H 178 mm

Height of Lineabox side 178 mm
Max. height of front panel 203 mm
For use with Futura and F70 full-extension runners

- Rapid assembly system, with no machinery or templates needed
- Rapid mounting and removal of front panel
- Can be personalized according to the width of the cabinet
- Height, sideways and depth adjustment of the drawer incorporated
  in the runner fixing clips
- Material: - aluminum for Lineabox sides and front panel
            - plastic for front panel adapters
            - metal for covers
- Finishes: - White
             - Gray
             - Stainless steel

Assembly features

Cut the front panel and the insert to length

L = (X - 120) ± 1 mm = Futura
L = (X - 121) ± 1 mm = F70

8

138

L = (X - 120) ± 1 mm = Futura
L = (X - 121) ± 1 mm = F70

203

65

X = Internal width of the cabinet

Note: aluminum to be cut with metal cutting blade

Insert the front panel adapters into the front panel and tighten the locking screws. Frontal fixings are already premounted.

3

2

1

4

5

Screws ø 3.5 x 20 mm included. Can use #6 x 3/4" screws as a replacement.

Fix the front panel to the drawer

Fix the covers

To correct any possible cutting errors of the panel, loosen and retighten the indicated screws

Under-Sink
2-Sided Drawer - Double Notched

Under-Sink - 2-Sided Drawer - H 101 mm

Lineabox metal sides, wood sub-front and back panel.
Height of the side 101 mm - Internal height 72 mm.
For use with Futura and F70 full-extension runners.
Drawers can be custom widths to fit most kitchen and bathroom
**sink and plumbing configurations.**

- No machine or template needed for assembly
- Rapid assembly and disassembly of the drawer
- Height, side and depth adjustment of the drawer incorporated in the
  runner fixing clips
- Bottom thickness: 16 mm (5/8") for bottom, sub-front and back panels
- Sides notched front and back
- Premounted front/back connector fittings
- Non-handed sides
- Sides: 90° cut end
- Material: Aluminum
- Finishes: - White
            - Gray
            - Stainless steel

Dimensions with full-extension runners

Thickness of the metal side

F70
RUNNERS

FUTURA
RUNNERS

SW

X

Cutting the sub-front and back

Cutting the bottom

$\frac{X - SW}{2} - 13$

$\frac{X - SW}{2} - 13$

$\frac{X - SW}{2} - 13$

$\frac{X - SW}{2} - 13$

Bottom length =
Runner length - 32 mm (1-17/64")

$\frac{X - SW}{2} - 13$

Bottom length =
Runner length - 32 mm (1-17/64")

$\frac{X - SW}{2} - 13$

X = Internal Width
SW = Sink Width

Technical features

SUB-FRONT - Finished height & drilling dimensions

BACK - Finished height & drilling dimensions

DRILLING TEMPLATE
Futura: A199800755010
F70: ASGD704UGXA

DRILL BIT
Futura:
ø 7x10 mm (9/32")

F70:
ø 6x10 mm (1/4")

Note: Rear hook hole dimensions based on drilling with Salice drilling template **A199800755010** with Futura runners or **ASGD704UGXA** with F70 runners (see accessories, page 50).

Components of the drawer

1 Front/back fixing clip **ASMGP12A3XA** - screw attachment **OR 2** Front/back fixing clip **ASMGP12A3CA** - 5 mm dowel attachment   Nr. 8 pcs.
3 Cover cap (With embossed Salice logo **ASCCX83H9SN** - With silk-screen printed Salice logo **ASCXX83H9SN**)   Nr. 2 pcs. (optional)


Note: Customer to supply and attach finished front.

Under-Sink - 2-Sided Drawer - H 178 mm

Lineabox metal sides, wood sub-front and back panel.
Height of the side 178 mm - Internal height 149 mm.
For use with Futura and F70 full-extension runners.
Drawers can be custom widths to fit most kitchen and bathroom
sink and plumbing configurations.

- No machine or template needed for assembly
- Rapid assembly and disassembly of the drawer
- Height, side and depth adjustment of the drawer incorporated in the
  runner fixing clips
- Bottom thickness: 16 mm (5/8") for bottom, sub-front and back panels
- Sides notched front and back
- Premounted front/back connector fittings
- Non-handed sides
- Sides: 90° cut end
- Material: Aluminum
- Finishes: - White
           - Gray
           - Stainless steel

Dimensions with full-extension runners

Thickness of the metal side

F70 RUNNERS

FUTURA RUNNERS

SW

X

Cutting the sub-front and back

$\dfrac{X - SW}{2} - 13$

Cutting the bottom

Bottom length = Runner length - 32 mm (1-17/64")

$\dfrac{X - SW}{2} - 13$

X = Internal Width
SW = Sink Width

Technical features

SUB-FRONT - Finished height & drilling dimensions

BACK - Finished height & drilling dimensions

OUTSIDE BACK

DRILLING TEMPLATE
Futura: A199800755010
F70: ASGD704UGXA

DRILL BIT
Futura:
ø 7x10 mm (9/32")

F70:
ø 6x10 mm (1/4")

Note: Rear hook hole dimensions based on drilling with Salice drilling template **A199800755010** with Futura runners or **ASGD704UGXA** with F70 runners (see accessories, page 50).

Components of the drawer

1 Front/back fixing clip **ASMGP12A3XA** - screw attachment **OR** **2** Front/back fixing clip **ASMGP12A3CA** - 5 mm dowel attachment   Nr. 16 pcs.
3 Cover cap (With embossed Salice logo **ASCCX83H9SN** - With silk-screen printed Salice logo **ASCXX83H9SN**)   Nr. 2 pcs. (optional)

Note: Customer to supply and attach finished front.

Assembly Features

2-Sided Drawer - H 75 - H 101 - Assembly features

Back

5 mm DOWEL ATTACHMENT,
for use with knock-in tool
listed in accessories

SCREW ATTACHMENT,
use a #2 Pozi driver.
Screws ø 3.5 x 20 mm included.
Can use #6 x 3/4" screws as
a replacement.

Sub-front

5 mm DOWEL ATTACHMENT, for use with knock-in tool listed in accessories

SCREW ATTACHMENT, use a #2 Pozi driver. Screws ø 3.5 x 20 mm included. Can use #6 x 3/4" screws as a replacement.

2-Sided Drawer - H 178 - Assembly features

Back

5 mm DOWEL ATTACHMENT, for use with knock-in tool listed in accessories

SCREW ATTACHMENT, use a #2 Pozi driver. Screws ø 3.5 x 20 mm included. Can use #6 x 3/4" screws as a replacement.

Sub-front

5 mm DOWEL ATTACHMENT, for use with knock-in tool listed in accessories

SCREW ATTACHMENT, use a #2 Pozi driver. Screws ø 3.5 x 20 mm included. Can use #6 x 3/4" screws as a replacement.

2-Sided Drawer - H 237 - Assembly features

Back

5 mm DOWEL ATTACHMENT,
for use with knock-in tool
listed in accessories

SCREW ATTACHMENT,
use a #2 Pozi driver.
Screws ø 3.5 x 20 mm included.
Can use #6 x 3/4"" screws as
a replacement.

Sub-front

5 mm DOWEL ATTACHMENT,
for use with knock-in tool
listed in accessories

SCREW ATTACHMENT,
use a #2 Pozi driver.
Screws ø 3.5 x 20 mm included.
Can use #6 x 3/4" screws as
a replacement.

3-Meter Profile to be Cut

3-Meter Profile to be Cut - Part numbers and packaging

Side and back profiles - 3-Meter lengths (118")

Cutting the width for the sub-front and the back

(X - 19) ± 1 mm = Futura
(X - 20) ± 1 mm = F70

Cutting the length and width for the bottom

Bottom length =
Runner length - 32 mm (1-17/64")

(X - 19) ± 1 mm = Futura
(X - 20) ± 1 mm = F70

SIDE PROFILE	WHITE	GRAY	STAINLESS STEEL	BOX	PALLET
Side profile H 75 mm	AMUBXX13000	AMUBXXG3000	AMUBXXS3000	5 pcs.	100 pcs.
Side profile H 101 mm	AMUMXX13000	AMUMXXG3000	AMUMXXS3000	5 pcs.	100 pcs.
Side profile H 178 mm	AMUAXX13000	AMUAXXG3000	AMUAXXS3000	5 pcs.	80 pcs.
Side profile H 237 mm	AMUHXX13000	AMUHXXG3000	AMUHXXS3000	5 pcs.	80 pcs.

Note: 3-Meter profiles that can be cut to size by the customer are available separately. Please consult your local Salice Sales Representative or contact our Customer Service Dept for more information on custom 2 or 3 sided metal drawers.

COMPONENTS		PART NUMBER	BOX	PALLET
INTERNAL CONNECTOR To be installed with **AMDGXAO** template. See accessories, page 50.		AMGPXA3	200 pcs.	8000 pcs.
FIXING CLIP FOR WOOD FRONT AND BACK Screw attachment. Screws ø 3.5 x 20 mm included. Can use #6 x 3/4" screws as a replacement.	ø 2x2	ASMGP12A3XA	200 pcs.	8000 pcs.
FIXING CLIP FOR WOOD FRONT AND BACK 5 mm dowel attachment. Must be knocked in with **TLLNCLPHLDR** Salice tool, see accessories, page 50.	ø 5x12	ASMGP12A3CA	200 pcs.	8000 pcs.

AMUBX

18 24

INSIDE BACK

OUTSIDE BACK

DRILLING TEMPLATE
Futura: A199800755010
F70: ASGD704UGXA

19

11

DRILL BIT
Futura:
ø 7x10 mm (9/32")

F70:
ø 6x10 mm (1/4")

61

8

AMUMX

44 24

INSIDE BACK

OUTSIDE BACK

DRILLING TEMPLATE
Futura: A199800755010
F70: ASGD704UGXA

19

11

DRILL BIT
Futura:
ø 7x10 mm (9/32")

F70:
ø 6x10 mm (1/4")

87

8

AMUAX

76.5 24 20.2 24

INSIDE BACK

OUTSIDE BACK

DRILLING TEMPLATE
Futura: A199800755010
F70: ASGD704UGXA

19

11

DRILL BIT
Futura:
ø 7x10 mm (9/32")

F70:
ø 6x10 mm (1/4")

164

8

AMUHX

91.5 24 20.2 24 20.2 24

INSIDE BACK

OUTSIDE BACK

DRILLING TEMPLATE
Futura: A199800755010
F70: ASGD704UGXA

19

11

DRILL BIT
Futura:
ø 7x10 mm (9/32")

F70:
ø 6x10 mm (1/4")

223

8

Accessories

Accessories

ASCCX83H9SN
Cover cap with embossed Salice logo.
It can be personalized on request.
PACKAGING 1 box = 5000 pcs.

ASCXX83H9SN
Cover cap with silk-screen printed Salice logo.
It can be personalized on request.
PACKAGING 1 box = 5000 pcs.

AMDGXAO
Template for frontal connecting fitting. Only for use to insert the connector for the 3 meter cut to size lengths.
PACKAGING 1 box = 1 pc.

TLLNCLPHLDR
Insertion tool (Knock-In) for ASMGP12A3CA fixing clip for wood front and back
PACKAGING 1 box = 1 pc.

A199800755010 Template for Futura runners
PACKAGING 1 box = 1 pc.

ASGD704UGXA Template for F70 runners
PACKAGING 1 box = 1 pc.

TDB7407R ø 7 mm, for Futura runners
TDB7406R ø 6 mm, for F70 runners
Drill bit for rear hook
PACKAGING 1 box = 1 pc.

TLKEY332 L wrench to set and adjust
PACKAGING 1 box = 1 pc.

TSC07MM Stop collar
to set the correct depth
PACKAGING 1 box = 1 pc.

Finishes

White
COLOR CODE = 1

Gray
COLOR CODE = G

Stainless steel
COLOR CODE = S

Digital contents

We reserve the right to change technical specifications.